



PRODUCT FEATURES

- Rotary dimmer
- 2-wire

storage

IP Code

- 5W 250W LED
- Trailing edge
- Overload protection

Ambient temperature range in

- Surge protection
- Overheat protection
- Min. dim level adjustable
- Max dim level auto-calibration

-30 til 70°C

IP21

PRODUCT DATA	
Colour	White RAL 9003
Min. and max ambient humidity (RH%)	10 til 85%
Ambient temperature range in use	5 til 40°C
usc	

STANDARDS	
EN Standards	CE
Certification	Reach, RoHS

WARRANTY	
Warranty international	2 years

HEATIT EEZEDIM 250W RAL 9010 + 9003

Rotary dimmer 5W-250W

Art.no 1444430

GTIN 7071236016885

Heatit eezedim is a rotary dimmer for many different types of light fixtures. The Heatit eezedim works on most low loads without causing flickering. Heatit eezedim is very well suited for LED.

The dimmer has the option for an external toggle switch, making it possible to turn on/off the dimmer with the external switch.

The dimmer fits in standard European junction boxes and may be used with most System 55 frames.

ELECTRO TECHNICAL DATA	
Voltage	230VAC 50Hz
Method of regulation	Rotary dimming
Connection type	Screw clamps
Connection terminals diameter	0.2 til 2.5mm²
Max tightening torque connections	2N·m









MAINTENANCE

The device is maintenance-free. Indoor use only.

ADDITIONAL INFORMATION

Dimming may be challenging, and we recommend checking the compatibility of different light sources before installation.

When connecting low loads it is recommended to use a bypass.

PRODUCT INFO RETURN AND RECYCLING

The product must be recycled as electronic waste.

DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).


All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com and/or documents.heatit.com
Heatit Controls AB can not be held liable for any type of errors or omittances in our product information.
Product specifications may change without further notice.









Heatit eezedim 250W can be ordered from www.heatit.com/1444430





