



HEATIT Z-PUSH BUTTON 4 WHITE

EOL

Push button for Z-Wave

Art.no 4512682
GTIN 7071236015109

Heatit Z-Push Button4 is a battery operated wall switch with 4 push-buttons. The switch enables you to control the Z-Wave-products in your smart home system. Managing your Z-Wave products becomes easy and practical. The switch can be set up to control scenarios or work in associations with other Z-Wave products.

Heatit Z-Push Button4 can control 2 association groups with up to 10 products or up to 8 scenarios through your gateway. Heatit Z-Push Button4 may not be used as a stand-alone unit; it must be included in a gateway to function.

The switch fits into System 55 frames.

The switch is easy to install, and may be fastened with screws or double-sided tape.

PRODUCT DATA

Colour White RAL 9003

STANDARDS

EN Standards CE, RoHS 2011/65/EU

Certification CE, Z-Wave Plus

IP Code IP20

IOT / SMART HOME SPECIFIC DATA

Z-Wave Frequency	Z-Wave - 868.4 MHz (EU)
Z-Wave Chip	Z-Wave 500 chip
Min radio frequency range	40m
Push buttons	4
FLiRS	No

ELECTRO TECHNICAL DATA

Voltage Batteri 1 x CR2450

**PRODUCT DIMENSIONS**

Product height/diameter	54.000001400709mm	Product Width	112.00000345707mm
Product length	103.00000011921mm	Product net weight	66g

MAINTENANCE

The device is maintenance-free.

DISCLAIMER


We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com and/or documents.heatit.com

Heatit Controls AB can not be held liable for any type of errors or omissions in our product information.

Product specifications may change without further notice.



**Heatit Z-Push Button 4 white can be ordered from
www.heatit.com/4512682**

All additional documentation are available on the above adress and on documents.heatit.com/4512682

