





### **PRODUCT FEATURES**

- · Battery-powered wall switch
- Fits in System 55, Elko RS-16 and Schneider Exxact frames
- Controls 1 group and up to 5 units
- Controls 4 scenarios via gateway
- Easy to install with screws or double-sided tape
- Supports encryption mode S0, S2 Authenticated Class, S2 Unauthenticated Class

#### **PRODUCT DATA**

Colour	Black
Ambient temperature range in	0 to 40°C
use	

Z.	T/	١N	UD	A	R	D	S
_		•••	_	•		_	_

EN Standards	ards CE, RoHS 2011/65/EU	
Certification	CE, Z-Wave Plus	
IP Code	IP20	

#### WARRANTY

## **HEATIT Z-PUSH BUTTON 2 BLACK**

EOL

Push button for Z-wave

**Art.no** 4512680

**GTIN** 7071236015123

Heatit Z-Push Button2 is a battery operated wall switch with 2 push-buttons. The switch enables you to control the Z-Wave-products in your smart home system. Managing your Z-Wave products becomes easy and practical. The switch can be set up to control scenarios or work in associations with other Z-Wave products.

Heatit Z-Push Button2 can control 1 association group with up to 5 products or 4 scenarios through your gateway. Heatit Z-Push Button2 may not be used as a stand-alone unit; it must be included in a gateway to function.

The switch fits into System 55 frames.

The switch is easy to install, and may be fastened with screws or double-sided tape.

#### **IOT / SMART HOME SPECIFIC DATA**

Z-Wave Frequency	Z-Wave - 868.4 MHz (EU)
Z-Wave Chip	Z-Wave 500 chip
Min radio frequency range	40m
Push buttons	2
Z-Wave encryption mode	SO
	S2 Authenticated Class
	S2 Unauthenticated Class
FLIRS	No

#### **ELECTRO TECHNICAL DATA**

Voltage Batteri 1 x CR2450









PRODUCT DIMENSIONS						
Product height/diameter	54.000001400709mm	Product Width	112.00000345707mm			
Product length	103.00000011921mm	Product net weight	66g			

#### **MAINTENANCE**

The device is maintenance-free.

#### **DISCLAIMER**

All electrical installations must be carried out by an authorized electrical installer.


The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.thermo-floor.no/www.heatit.com og/eller documents.thermo-floor.no/documents.heatit.com Thermo-Floor AS/Heatit Controls AB can not be held liable for any type of errors or omittances in our product information. Product specifications may change without further notice.









# Heatit Z-Push Button 2 Black can be ordered from www.thermo-floor.no/4512680



All additional documentation are available on the above adress and on documents.thermo-floor.no/4512680

