HEATIT Z-PUSH BUTTON 2 WHITE

EOL

Push button for Z-wave

Art.no	4512580
GTIN	7071236014690

Heatit Z-Push Button2 is a battery operated wall switch with 2 push-buttons. The switch enables you to control the Z-Wave-products in your smart home system. Managing your Z-Wave products becomes easy and practical. The switch can be set up to control scenarios or work in associations with other Z-Wave products.

Heatit Z-Push Button2 can control 1 association group with up to 5 products or 4 scenarios through your gateway. Heatit Z-Push Button2 may not be used as a stand-alone unit; it must be included in a gateway to function.

The switch fits into System 55 frames.

The switch is easy to install, and may be fastened with screws or double-sided tape.

PRODUCT FEATURES

- Battery operated wall switch
- Fits System 55, Elko RS-16 og Schneider Exxact frames
- Controls 1 group and up to 5 units
- Controls 4 scenarios via your gateway
- Easy to install with screws or double-sided tape
- Supports encryption modes S0, S2 Authenticated Class, S2 Unauthenticated Class

PRODUCT DATA

Ambient temperature range in use	0 to 40°C
Colour	White RAL 9003

ADDITIONAL INFO

IP Code	IP20
Certification	CE, Z-Wave Plus
EN Standards	CE, RoHS 2011/65/EU
Customs number	85365000
Country of origin	CN

IOT / SMART HOME SPECIFIC DATA

Z-Wave Frequency	Z-Wave - 868.4 MHz (EU)
Z-Wave Chip	Z-Wave 500 chip
Z-Wave encryption mode	S0 S2 Unauthenticated Class S2 Authenticated Class
Min radio frequency range	40m
Push buttons	2
FLiRS	No

ELECTRO TECHNICAL DATA

Voltage	Batteri 1 x CR2450

PRODUCT DIMENSIONS

Product height/diameter	54.000001400709mm	Product Width	112.00000345707mm
Product length	103.00000011921mm	Product net weight	66g

MAINTENANCE

The device is maintenance-free.

DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).
All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com or documents.heatit.com
Heatit Controls AS can not be held liable for any type of errors or omittances in our product information.
Product specifications may change without further notice.


14mm
55mm
71mm
55mm
80mm