



HEATIT DIN TRANSFORMER 24V

Transformer 230VAC to 24VDC 2.5A/60W

Art.no 5430457

GTIN 7071236018537

Transformer for mounting on DIN rail.
Transformer 230VAC to 24VDC 2.5A/60W.
Can be used with Heatit Z-Water2 regulator.

PRODUCT FEATURES

- Transformer
- Input: 230VAC - 50Hz 1.5A Max
- Output: 24VDC / 2.5A / 60W
- High efficiency
- Low ripple & noise
- Adjustable DC voltage output
- Overload protection
- Over voltage protection
- Short Circuit protection
- Isolation Class II
- Mounting on 35mm DIN rail

PRODUCT DATA

Colour	Black
Min. and max ambient humidity (RH%)	20 to 90%
Ambient temperature range in use	-20 to 50°C
Ambient temperature range in storage	-40 to 80°C

STANDARDS

Certification	CE
IP Code	IP20

ELECTRO TECHNICAL DATA

Voltage	230VAC 50Hz
Width number of DIN-Rail modules	3 modules
Feeding power	0.8A
DIN Rail Height	35mm
Minimal ambient temperature	-20°C
Max ambient temperature	50°C
Connection type	Screw clamps
Connection terminals diameter	0.2 to 2.5mm ²
Max tightening torque connections	2N·m
Voltage Output	230VAC 50Hz
Grounding	No

**PRODUCT DIMENSIONS**

Product height/diameter	90mm	Product Width	51mm
Product length	59mm	Product net weight	183g

MAINTENANCE

The device is maintenance-free. Indoor use only.

PRODUCT INFO RETURN AND RECYCLING

The product must be recycled as electronic waste.

DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com and/or documents.heatit.com

Heatit Controls AB can not be held liable for any type of errors or omissions in our product information.

Product specifications may change without further notice.



Heatit DIN Transformer 24V can be ordered from www.heatit.com/5430457

All additional documentation are available on the above adress and on documents.heatit.com/5430457

