



PRODUCT DATA

Colour	White
Mounting	European Junction Box
Min. and max ambient humidity (RH%)	10 til 95%
Ambient temperature range in use	0 til 35°C

STANDARDS

IP Code	IP20
---------	------

WARRANTY

Warranty international	2 years
------------------------	---------

FIBARO ROLLER SHUTTER 4

Relay

Art.no	4512494
GTIN	5902701703899

FIBARO ROLLER SHUTTER 4 is a device designed to control roller blinds, awnings, venetian blinds, curtains and pergolas. FIBARO ROLLER SHUTTER 4 allows precise positioning of roller blinds or venetian blind slats. The device is equipped with energy monitoring. It allows to control connected devices either via the Z-Wave™ network or via a switch connected directly to it.

IOT / SMART HOME SPECIFIC DATA

Z-Wave Frequency	Z-Wave - 868.4 MHz (EU)
Z-Wave Chip	Z-Wave 800 chip
Alternate IoT-communication protocols	No alternative communication protocols
Min radio frequency range	40m
Z-Wave encryption mode	S0 S2 Authenticated Class S2 Unauthenticated Class
Primary IoT Protocol	Z-Wave

ELECTRO TECHNICAL DATA

Voltage	230VAC 50Hz
Connection type	Push-in clamps
Connection terminals diameter	0.75 til 1.5mm ²
Max tightening torque connections	2N·m
Grounding	No
Max load (A-inductive load)	2A





ADDITIONAL INFORMATION

PRODUCT INFO RETURN AND RECYCLING

The product must be recycled as electronic waste.

DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.thermo-floor.no and/or documents.thermo-floor.no

Thermo-Floor AS can not be held liable for any type of errors or omissions in our product information.

Product specifications may change without further notice.



**Fibaro Roller Shutter 4 can be ordered from
www.thermo-floor.no/4512494**

All additional documentation are available on the above adress and on documents.thermo-floor.no/4512494

