



BYGNINGSPLAST 0,20MM

Byggningsplast 0,20mm

Art.no 5430411

GTIN 5703502614441

Moisture/vapor barrier for floor heating installations

PRODUCT FEATURES

- Fast installation
- Easy to adjust
- No tools required
- Adhesive edge - no gaps in your moisture/vapor barrier

PRODUCT DATA

Colour	Clear / translucent
Min. and max ambient humidity (RH%)	5 to 40%

ADDITIONAL INFO

Customs number	39201000
----------------	----------

PRODUCT DIMENSIONS

Product height/diameter	100mm	Product Width	100mm
Product length	1350mm	Product net weight	7500g

MAINTENANCE

Maintenance-free

DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.thermo-floor.no and/or documents.thermo-floor.no

Heatit Controls AS can not be held liable for any type of errors or omissions in our product information.

Product specifications may change without further notice.



**Bygningsplast 0,20mm can be ordered from
www.thermo-floor.no/5430411**

All additional documentation are available on the above adress and on documents.thermo-floor.no/5430411

