



HEATIT OUTDOOR IP CAMERA

Outdoor IP Camera

Art.no 4512697

GTIN 7071236016489

Outdoor IP Camera to be used with the Heatit Gateway.

IOT / SMART HOME SPECIFIC DATA

Min radio frequency range 20m

ELECTRO TECHNICAL DATA

Voltage 12V (1A)

Own power usage 0.1W

PRODUCT FEATURES

- Outdoor HD Camera.
- IR light with a range of 10m
- H.264 compression
- Connects to your home LAN with a cable or via WIFI.
- HD resolution 1080p 1920x1080 30fps
- Speaker and microphone built in
- Push notifications for iPhone / Android-telefoner
- Easy plug-and-play via WiFi
- WEP and WPA/WPA2 security

PRODUCT DATA

Colour	White
Min. and max ambient humidity (RH%)	-20 to 50%
Ambient temperature range in use	-20 to 50°C
Ambient temperature range in storage	-20 to 50°C

STANDARDS

EN Standards	CE
IP Code	IP66

WARRANTY

Warranty international	2 years
------------------------	---------

**PRODUCT DIMENSIONS**

Product height/diameter	71mm	Product Width	60mm
Product length	150mm	Product net weight	450g

MAINTENANCE

The device is maintenance-free. Outdoor use.

PRODUCT INFO RETURN AND RECYCLING

The product must be recycled as electronic waste.

DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com and/or documents.heatit.com

Heatit Controls AB can not be held liable for any type of errors or omissions in our product information.

Product specifications may change without further notice.



Heatit Outdoor IP Camera can be ordered from www.heatit.com/4512697

All additional documentation are available on the above adress and on documents.heatit.com/4512697

