


HEATIT EEZEDIM 2P WHITE RAL 9010

Rotary dimmer 5W-250W 2 Pol

Art.no 1444431
GTIN 7071236016892

Heatit eezedim 2P is a 2-poled rotary dimmer for dimming lights in bathrooms and other rooms requiring a 2-pole switch. Heatit eezedim 2P is very well suited for LED. It can also be used for incandescent lamps, electronic transformers or 230VAC halogen lamps.

The dimmer fits in an European electrical wall box and can be used with most frames that are adapted to System 55.

PRODUCT FEATURES

- 2-poled rotary dimmer
- 4-wire
- 5W - 250W LED
- Connection of both phases (2-pole break)
- Trailing edge
- Min. dim level

PRODUCT DATA

| | |
|--------------------------------------|-----------------------|
| Colour | White RAL 9010 |
| Mounting | European Junction Box |
| Min. and max ambient humidity (RH%) | 10 to 85% |
| Ambient temperature range in use | 5 to 40°C |
| Ambient temperature range in storage | -30 to 70°C |

STANDARDS

| | |
|---------------|-------------|
| EN Standards | CE |
| Certification | Reach, RoHS |
| IP Code | IP21 |

WARRANTY

| | |
|------------------------|---------|
| Warranty international | 2 years |
|------------------------|---------|

ELECTRO TECHNICAL DATA

| | |
|-----------------------------------|---------------------------|
| Voltage | 230VAC 50Hz |
| Method of regulation | Rotary dimming |
| Connection type | Screw clamps |
| Connection terminals diameter | 0.2 to 2.5mm ² |
| Max tightening torque connections | 2N·m |
| Voltage Output | 230VAC 50Hz |



MAINTENANCE

The device is maintenance-free. Indoor use only.

ADDITIONAL INFORMATION

Dimming may be challenging, and we recommend checking the compatibility of different light sources before installation.

When connecting low loads it is recommended to use a bypass.

PRODUCT INFO RETURN AND RECYCLING

The product must be recycled as electronic waste.

DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com and/or documents.heatit.com

Heatit Controls AB can not be held liable for any type of errors or omissions in our product information.

Product specifications may change without further notice.



**Heatit eezedim 2P white RAL 9010 can be ordered from
www.heatit.com/1444431**

All additional documentation are available on the above adress and on documents.heatit.com/1444431

