



## **PRODUCT FEATURES**

#### Rotary dimmer

• 2-wire

Surge protection
Overheat protection

• Min. dim level adjustable

- 5W 250W LED
- Trailing edge
- Max dim level auto-calibration
- Overload protection

## PRODUCT DATA

Mounting	European Junction Box	
Material	Polycarbonate (PC)	
Colour	White RAL 9003	
Min. and max ambient humidity (RH%)	10 to 85%	
Ambient temperature range in use	5 to 40°C	
Ambient temperature range in storage	-30 to 70°C	

#### **ADDITIONAL INFO**

IP Code	IP21
Certification	Reach, RoHS
EN Standards	CE
Warranty international	2 years
Customs number	85365000
Country of origin	CN

**HEATIT EEZEDIM 250W WHITE RAL 9003** 

Rotary dimmer 5W-250W
-----------------------

Art.no	1444435
GTIN	7071236019466

Heatit eezedim is a rotary dimmer for many different types of light fixtures. The Heatit eezedim works on most low loads without causing flickering. Heatit eezedim is very well suited for LED.

The dimmer has the option for an external toggle switch, making it possible to turn on/off the dimmer with the external switch.

The dimmer fits in standard European junction boxes and may be used with most System 55 frames.

### **ELECTRO TECHNICAL DATA**

230VAC 50Hz
Rotary dimming
Screw clamps
ameter 0.2 to 2.5mm <sup>2</sup>
2N·m
230VAC 50Hz













#### **PRODUCT DIMENSIONS**

Product height/diameter	43mm	Product Width	84mm
Product length	84mm	Product net weight	76g

#### MAINTENANCE

The device is maintenance-free. Indoor use only.

#### **ADDITIONAL INFORMATION**

Dimming may be challenging, and we recommend checking the compatibility of different light sources before installation.

When connecting low loads it is recommended to use a bypass.

#### **RETURN AND RECYCLING**

The product must be recycled as electronic waste.

#### DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.heatit.com and/or documents.heatit.com Heatit Controls AS can not be held liable for any type of errors or omittances in our product information. Product specifications may change without further notice.










# **Wheatit**

# DATA SHEET Document generated 27. Jun 2025 kl. 16:32





# Heatit eezedim 250W White RAL 9003 can be ordered from www.heatit.com/1444435



All additional documentation are available on the above adress and on documents.heatit.com/1444435







