



 $10k\Omega$



Placement: Outdoors

Cold lead: 15 meters

• Ambient temp: -20°C - 70°C

PRODUCT FEATURES

· Voltage: 9V-8VA

• Size (HxØ): 35 x 55mm

• IP Code IP68

- A thermostat must be used in snow melting systems to regulate the system. Multireg IceControl Pro has sensors that measure temperature and precipitation. It is a natural choice for managing outdoor heat. It has options for external overrides and calibration for most conditions, which also makes it an excellent choice for large installations.
- Maintenance: The product needs to be cleaned at least each fall.

PRODUCT DATA	
Material	Stainless steel Copper
Colour	Silver Black mat
Min. and max ambient humidity (RH%)	10 to 80%
Ambient temperature range in use	-30 to 80°C
Ambient temperature range in storage	-15 to 60°C

ADDITIONAL INFO	
IP Code	IPX7
Certification	CE
Customs number	90329000

MULTIREG BAKKEFØLER

Art.no 5430175

Resistance value at 25°C

GTIN 7071236012757

Detects moisture and temperature. The ground sensor is placed within the area to be heated, somewhere where it is exposed to precipitation. It measures both temperature and humidity at the site and sends the information to the Multireg IceControl Pro snow melting thermostat.

ELECTRO TECHNICAL DATA		
Voltage	9V	
Max load (resistive load)	8W	
Grounding	No	







PRODUCT DIMENSIONS				
Product height/diameter	70mm	Product Width	270mm	
Product length	270mm	Product net weight	2000g	

MAINTENANCE

The product needs to be cleaned at least each fall.

DISCLAIMER

We develop and design our products according in accordance with our strict quality requirements (ISO 9001) and environmental requirements (ISO 14001).

All electrical installations must be carried out by an authorized electrical installer. The product must be installed in accordance with our installers manual and national building codes. Any wrongful installation, misuse, damage of the product, is not covered under warranty.

Updated documentation is available at www.thermo-floor.no and/or documents.thermo-floor.no Heatit Controls AS can not be held liable for any type of errors or omittances in our product information. Product specifications may change without further notice.







Document generated 25. Aug 2025 kl. 17:21



Multireg bakkeføler can be ordered from www.thermo-floor.no/5430175

All additional documentation are available on the above adress and on **documents.thermo-floor.no/5430175**



